CANADIAN JOURNAL OF CIVIL ENGINEERING

REVUE CANADIENNE DE GÉNIE CIVIL

VOLUME 9, 1982

Author Index / Index des auteurs

Abate, A., see Stafford Smith, B., 358.
Adamowski, K., see Habicht, M.M., 356.
Adebisi, O. Adaptability in transportation systems: A case study of drivers' gap acceptance characteristics, 378.
Akhras, G. Analogous frames for the analysis of tall shear wall structures: Discussion, 357.
Allen, D.E., see Pernica, G., 149.
Ast, P.F., and Bickley, J.A. Atrium on Bay: The optimum use of reinforced concrete—concrete technology aspects, 636.
Atkinson, G.M., Davenport, A.G., and Novak, M. Seismic risk to pipelines with application to Northern Canada, 248.
Azad, A.K. Rapid design of built-up I-shaped compression members, 350.
Bakht, B., Cheung, M.S., and Dorton, R.A. A comparison of design loads for highway bridges: Discussion, 138.
Bakht, B., see Cheung, M.S., 595.
Bakht, B., Jaeger, L.G., Cheung, M.S., and Mufti, A.A. The state of the art in analysis of cellular and voided slab bridges: Reply, 360.
Bakht, B., see Jaeger, L.G., 224.
Barber, J.D., see Huggins, M.W., 133.
Beltaos, S., and Krishnappan, B.G. Surges from ice jam releases: a case study, 276.
Bewtra, J.K., see Droste, R.L., 558.
Bickley, J.A., see Ast, P.F., 636.
Bliss, S., see Lin, K.C., 549.
Bolliger, W., see Gordon, J.L., 1.
Bray, D.I., DeMerchant, D.P., and Sullivan, D.L. Some hydrotechnical problems related to the construction of a causeway in the estuary of the Petitcodiac River, New Brunswick, 296.
Brebbia, C.A., see Connor, J.J., 681.
Buckland, P.G., and Sexsmith, R.G. A comparison of loads for highway bridges: Reply, 141.
Burgess, A.S., see Young, F.E., 679.
Burrell, B., and Davar, K.S. Flow conveyance with ice cover for the Nashwaak River, N.B., 674.
Calkins, D.J., Deck, D.S., and Martinson, C.R. Resistance coefficients from velocity profiles in ice-covered shallow streams, 236.
Campbell, P.C. Alternative wastewater management strategies for rural and urban-fringe communities, 586.
Campbell, P.G.C., see Pineau, M., 573.
Cary, J.S., see Gordon, J.L., 1.
Chappet, D., see Marche, C., 567.
Cheung, M.S., Bakht, B., and Jaeger, L.G. Analysis of box-girder bridges by grillage and orthotropic plate methods, 595.
Cheung, M.S., see Bakht, B., 360.
Cheung, M.S., see Bakht, B., 138.
Cheung, M.S., see Ng, S.S.F., 63.
Christensen, V., see Smith, D.W., 653.
Ciwko, J.B., and Morris, G.A. Behaviour of round-chord, cropped-web truss joints, 641.
Connor, J.J., and Brebbia, C.A. Finite element techniques for fluid flow: Reviewed by Ed Skiba, 681.
Davalath, G.S.R., see Madugula, M.K.S., 129.
Davar, K.S., see Burrell, B., 674.
Davenport, A.G., see Atkinson, G.M., 248.
Davies, G., and Packer, J.A. Predicting the strength of branch plate – RHS connections for punching shear, 458.
Dawe, J.L., see Lau, W.C.-P., 399.
Deck, D.S., see Calkins, D.J., 236.
DeKee, D., see Keirstead, K.F., 170.
DeMerchant, D.P., see Bray, D.I., 296.
DePauw, M.A. The state of the art in analysis of cellular and voided slab bridges: Discussion, 359.
Dilger, W., see Tadros, G., 483.
Dilger, W.H., see van der Voet, A.F., 107.

Dorton, R.A., see Bakht, B., 138.
Droste, R.L., and Bewtra, J.K. Substrate removal and sludge production in a batch activated-sludge process with blending, 558.
Drysdale, R.G., and Hamid, A.A. In-plane tensile strength of concrete masonry, 413.
Eidt, C.H. Energy from waste in Niagara, 265.
Elsayed, E.E.M. Thermocline drawdown above cooling water intakes, 31.
Fereig, S.M. Construction planning of single-span bridges using precast, prestressed concrete beams, 422.
Frenette, M., Tournier, J.P., et Nzakimuena, T.J. Cas historique de sédimentation du barrage Péligre, Haïti, 206.
Ghali, A., see Ghoneim, G.A.M., 489.
Ghali, A., see Tadros, G., 483.
Ghali, A., see van der Voet, A.F., 107.
Ghoneim, G.A.M., and Ghali, A. Nonlinear analysis of concrete structures, 489.
Girgis, A.M., see Stafford Smith, B., 358.
Godoy, H., see Van Dalen, K., 313.
Gordon, J.L., Bolliger, W., and Cary, J.S. Comparison of isostatic and hyperstatic penstocks at Santa Isabel, Bolivia, 1.
Habicht, M.M., Adamowski, K., and Middleton, A.C. Potential eutrophication of the Rideau River by an urban drainage waterway: Reply, 356.
Hall, C.P., see Madsen, B., 338.
Hamam, M.A., and McCorquodale, J.A. Transient conditions in the transition from gravity to surcharged sewer flow, 189.
Hamid, A.A., see Drysdale, R.G., 413.
Hooley, R.F., see Madsen, B., 338.
Horne, M.R., and Morris, L.J. Plastic design of low-rise frames: Reviewed by J.A. Packer, 361.
Hrudey, S.E., see Smith, D.W., 680.
Huggins, M.W., and Barber, J.D. Building deflections, distortions, and vibrations — a survey, 133.
Institution of Civil Engineers. Appropriate technology in civil engineering: Reviewed by W.G. Lockett, 364.
Institution of Civil Engineers. Flood studies report — five years on: Reviewed by J.C. Ritchie, 363.
Irvine, H.M. Cable structures: Reviewed by N. K. Srivastava, 362.
Jaeger, L.G., and Bakht, B. The grillage analogy in bridge analysis, 224.
Jaeger, L.G., see Bakht, B., 360.
Jaeger, L.G., see Cheung, M.S., 595.
Jaeger, L.G., see Mufti, A.A., 477.
James, W., and Mitri, H. Modelling side-weir diversion structures for stormwater management, 197.
James, W., and Mitri, H. Erratum: Modelling side-weir diversion structures for stormwater management, 682.
James, W., and Robinson, M.A. Interactive processors for design use of large program packages, 449.
Johns, K., and Madsen, B. Duration of load effects in lumber. Part I: A fracture mechanics approach, 502.
Johns, K., see Madsen, B., 515.
Johns, K., see Madsen, B., 526.
Jones, P.H., see Smith, D.W., 680.
Jordaan, I.J., see Maddock, W.P., 663.
Kartha, V.C., see Keenhan, T., 176.
Keenhan, T., Panu, U.S., and Kartha, V.C. Analysis of freez-up ice jams on the Peace River near Taylor, British Columbia, 176.
Keirstead, K.F., DeKee, D., Kirk, D.W., and Pillai, S.U. The effect of foam fractionated lignosulphonates on air entrainment in concrete, 170.
Kirk, D.W., see Keirstead, K.F., 170.
Klemeš, V. The essence of mathematical models of reservoir storage, 624.
Korol, R.M., Mitri, H., and Mirza, F.A. Plate reinforced square hollow section T-joints of unequal width, 143.
Krishnappan, B.G., see Beltaos, S., 276.
Kulkarni, G.G., see Ng, S.S.F., 63.
Kumar, M.S.V., and Sargious, M.A. Fuel conservation in urban transportation by the optimum allocation of employment growth, 25.
Landine, R.C., see Lin, K.C., 549.
Laskowski, L.P., see Tocci, R.J., 678.
Lau, W.C.-P., and Dawe, J.L. Elasto-plastic finite element analysis of welded truss connections, 399.
Lau, Y.L. Velocity distributions under floating covers, 76.
Lin, K.C., Landine, R.C., and Bliss, S. Temperature effect on the anaerobic treatment of potato-processing wastewater, 549.
Lockett, W.G., see Institution of Civil Engineers, 364.
MacGregor, J.G., see Mirza, S.A., 431.
Maddock, W.P., and Jordaan, I.J. Decision analysis applied to structural code formulation, 663.
Madsen, B. Recommended moisture adjustment factors for lumber stresses, 602.
Madsen, B., Hooley, R.F., and Hall, C.P. A design method for bearing stresses in wood, 338.
Madsen, B., and Johns, K. Duration of load effects in lumber. Part II: Experimental data, 515.
Madsen, B., and Johns, K. Duration of load effects in lumber. Part III: Code considerations, 526.
Madsen, B., see Johns, K., 502.

Madugula, M.K.S., Davalath, G.S.R., and Rea, V.L. The use of wide-flange shapes in transmission towers, 129.
Marche, C., et Chappet, D. Contribution à la simulation numérique des écoulements non permanents en milieu poreux, 567.
Marchi, G., see Patry, G., 537.
Martinson, C.R., see Calkins, D.J., 236.
McCorquodale, J.A., see Hamam, M.A., 189.
Meng, V., see Tso, W.K., 38.
Middleton, A.C., see Habicht, M.M., 356.
Mirza, F.A., see Korol, R.M., 143.
Mirza, S.A., and MacGregor, J.G. Probabilistic study of strength of reinforced concrete members, 431.
Mitri, H., see James, W., 197.
Mitri, H., see James, W., 682.
Mitri, H., see Korol, R.M., 143.
Morrall, J.F., and Werner, A. Measurement of level of service for two-lane rural highways, 385.
Morris, G.A., see Ciwko, J.B., 641.
Morris, L.J., see Horne, M.R., 361.
Mufti, A.A., see Bakht, B., 360.
Mufti, A.A., and Jaeger, L.G. FORTRAN — should this be the engineer's computer language?, 477.
Muzik, I. Preliminary design of the muskeg drainage system at Onakawana, Ontario, 367.
Navin, F.P.D. Road vehicles on bridges, 468.
Ng, S.S.F., Kulkarni, G.G., and Cheung, M.S. Preliminary design of stiffened simply-supported orthotropic concrete bridge decks, 63.
Novak, M., see Atkinson, G.M., 248.
Nzakimuena, T.J., see Frenette, M., 206.
Ojinaga, J., and Turkstra, C.J. Design of reinforced masonry walls and columns for gravity loads, 84.
Packer, J.A., see Davies, G., 458.
Packer, J.A., see Horne, M.R., 361.
Palmer, M.D. Potential eutrophication of the Rideau River by an urban waterway: Discussion, 353.
Panu, U.S., see Keenhan, T., 176.
Patry, G., Marchi, G., et Rousselle, J. Prédiction des débits de ruissellement pour le contrôle des réseaux d'égouts unitaires, 537.
Pekau, O.A. Structural integrity of precast panel shear walls, 13.
Pernica, G., and Allen, D.E. Floor vibration measurements in a shopping centre, 149.
Pillai, S.U., see Keirstead, K.F., 170.
Pineau, M., Villeneuve, J.P., et Campbell, P.G.C. Modèle mathématique de gestion de la qualité de l'eau en rivière: application à la rivière Yamaska, 573.
Pradolin, L., see Stafford Smith, B., 96.
Quick, M.C. Wave-induced sand ripples, 285.
Rea, V.L., see Madugula, M.K.S., 129.
Riddington, J.R., see Stafford Smith, B., 96.
Ritchie, J.C., see Institution of Civil Engineers, 363.
Robinson, M.A., see James, W., 449.
Rohan, K. Modélisation de fermeture des cours d'eau, 156.
Rousselle, J., see Patry, G., 537.
Sargious, M.A., see Kumar, M.S.V., 25.
Sexsmith, R.G., see Buckland, P.G., 141.
Sherbourne, A.N., and Urrutia-Galicia, J.L. Internally loaded cylindrical shells, 115.
Skiba, E., see Connor, J.J., 681.
Smith, A.A. Compact formulation of pipe network problems, 611.
Smith, D.W., and Christensen, V. Innovative approaches to sewage collection, treatment, and disposal: practices in northern Canada, 653.
Smith, D.W., and Hrudey, S.E. Design of water and wastewater services for cold climate communities: Reviewed by P.H. Jones, 680.
Smith, R.F., see Thiessen, J.W., 323.
Srivastava, N.K., see Irvine, H.M., 362.
Stafford Smith, B., Girgis, A.M., and Abate, A. Analogous frames for the analysis of tall shear wall structures: Reply, 358.
Stafford Smith, B., Pradolin, L., and Riddington, J.R. Composite design method for masonry walls on steel beams, 96.
Sullivan, D.L., see Bray, D.I., 296.
Swain, B.J., see Tocci, R.J., 678.
Tadros, G., Ghali, A., and Dilger, W. Construction stages and design considerations for a curved box-girder bridge, 483.
Thiessen, J.W., and Smith, R.F. Modernizing irrigation systems in Alberta, 323.
Tocci, R.J., and Laskowski, L.P. Microprocessors and microcomputers, hardware and software: Reviewed by B.J. Swain, 678.
Tournier, J.P., see Frenette, M., 206.
Tso, W.K. A proposal for the compatibility of static and dynamic seismic base shear provisions of the National Building Code, 308.
Tso, W.K., and Meng, V. Torsional provisions in building codes, 38.

Turkstra, C.J., see Ojinaga, J., 84.
Urrutia-Galicia, J.L., see Sherbourne, A.N., 115.
Van Dalen, K., and Godoy, H. Strength and rotational behaviour of composite beam–column connections, 313.
van der Voet, A.F., Dilger, W.H., and Ghali, A. Concrete flat plates with well-anchored shear reinforcement elements, 107.
Villeneuve, J.P., see Pineau, M., 573.
Werner, A., see Morrall, J.F., 385.
Young, F.E. Piles and foundations: Reviewed by A.S. Burgess, 679.
Zielinski, C., see Zielinski, Z.A., 47.
Zielinski, Z.A., and Zielinski, C. H-frame module and panel — a system for rapid construction of multistorey buildings, 47.

Canadian Journal of Civil Engineering

Revue canadienne de génie civil

Volume 9 • 1982

Editor C. H. ATKINSON **Directeur scientifique**
Assistant to the Editor E. PERLINGIERI **Adjointe au directeur scientifique**

Associate Editors / Directeurs scientifiques associés

R. A. DORTON
Y.-M. GIROUX
D. HAY
B. MADSEN
V. M. MALHOTRA
C. R. NEILL
R. G. REDWOOD
N. SCHMIDTKE
F. R. WILSON
W. WRIGHT

PUBLISHING DEPARTMENT
at the National Research Council of Canada

SERVICE DE PUBLICATION
du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP **Directeur général**
Assistant Editor-in-chief P. A. REDHEAD **Directeur général adjoint**
Manager G. H. M. ADAMS **Directrice administrative**
Publishing Supervisor S. E. JENNESS **Préposé de la publication**
Senior Publication Officer F. M. KAVCIC **Agent supérieur à la publication**
Publication Officer E. ROLFE **Agent à la publi ation**

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS / SOMMAIRE

MARCH / MARS

Editorial Policy / Orientation de la Revue iii
Instructions to authors v
Recommandations aux auteurs vii

ARTICLES

J. L. Gordon, W. Bolliger, and J. S. Cary Comparison of isostatic and hyperstatic penstocks at Santa Isabel, Bolivia 1

O. A. Pekau Structural integrity of precast panel shear walls 13

M. S. Vijaya Kumar and M. A. Sargious Fuel conservation in urban transportation by the optimum allocation of employment growth 25

Emad E. M. Elsayed Thermocline drawdown above cooling water intakes 31

W. K. Tso and V. Meng Torsional provisions in building codes 38

Z. A. Zielinski and C. Zielinski H-frame module and panel — a system for rapid construction of multistorey buildings 47

Simon S. F. Ng, G. G. Kulkarni, and M. S. Cheung Preliminary design of stiffened simply-supported orthotropic concrete bridge decks 63

Y. L. Lau Velocity distributions under floating covers 76

Jose Ojinaga and Carl J. Turkstra Design of reinforced masonry walls and columns for gravity loads 84

B. Stafford Smith, L. Pradolin, and J. R. Riddington Composite design method for masonry walls on steel beams 96

A. Frank van der Voet, Walter H. Dilger, and Amin Ghali Concrete flat plates with well-anchored shear reinforcement elements 107

A. N. Sherbourne and J. L. Urrutia-Galicia Internally loaded cylindrical shells 115

NOTES

Murty K. S. Madugula, Gupta S. R. Davalath, and V. L. Rea The use of wide-flange shapes in transmission towers 129

M. W. Huggins and J. D. Barber Building deflections, distortions, and vibrations — a survey 133

DISCUSSIONS

Baidar Bakht, M. S. Cheung, and Roger A. Dorton A comparison of design loads for highway bridges: Discussion 138

Peter G. Buckland and Robert G. Sexsmith A comparison of loads for highway bridges: Reply 141

JUNE / JUIN

ARTICLES

R. M. Korol, H. Mitri, and F. A. Mirza Plate reinforced square hollow section T-joints of unequal width 143

G. Pernica and D. E. Allen Floor vibration measurements in a shopping centre 149

Karol Rohan Modélisation de fermeture des cours d'eau 156

K. F. Keirstead, D. DeKee, D. W. Kirk, and S. U. Pillai The effect of foam fractionated lignosulphonates on air entrainment in concrete 170

T. Keenhan, U. S. Panu, and V. C. Kartha Analysis of freeze-up ice jams on the Peace River near Taylor, British Columbia 176

M. A. Hamam and J. A. McCorquodale Transient conditions in the transition from gravity to surcharged sewer flow 189

William James and Hani Mitri Modelling side-weir diversion structures for stormwater management 197

M. Frenette, J. P. Tournier, et T. J. Nzakimuena Cas historique de sédimentation du barrage Péligre, Haïti 206

Leslie G. Jaeger and Baidar Bakht The grillage analogy in bridge analysis 224

Darryl J. Calkins, David S. Deck, and Carl R. Martinson Resistance coefficients from velocity profiles in ice-covered shallow streams 236

G. M. Atkinson, A. G. Davenport, and M. Novak Seismic risk to pipelines with application to Northern Canada 248

Conrad H. Eidt Energy from waste in Niagara 265

S. Beltaos and B. G. Krishnappan Surges from ice jam releases: a case study 276

Michael C. Quick Wave-induced sand ripples 285

D. I. Bray, D. P. DeMerchant, and D. L. Sullivan Some hydrotechnical problems related to the construction of a causeway in the estuary of the Petitcodiac River, New Brunswick 296

W. K. Tso A proposal for the compatibility of static and dynamic seismic base shear provisions of the National Building Code 308

Karl Van Dalen and Hernan Godoy Strength and rotational behaviour of composite beam–column connections 313

J. W. Thiessen and R. F. Smith Modernizing irrigation systems in Alberta 323

Borg Madsen, R. F. Hooley, and C. P. Hall A design method for bearing stresses in wood 338

NOTE

Abul K. Azad Rapid design of built-up I-shaped compression members 350

DISCUSSIONS

M. D. Palmer Potential eutrophication of the Rideau River by an urban waterway: Discussion 353

M. M. Habicht, K. Adamowski, and A. C. Middleton Potential eutrophication of the Rideau River by an urban drainage waterway: Reply 356

G. Akhras Analogous frames for the analysis of tall shear wall structures: Discussion 357

B. Stafford Smith, A. M. Girgis, and A. Abate Analogous frames for the analysis of tall shear wall structures: Reply 358

M. A. DePauw The state of the art in analysis of cellular and voided slab bridges: Discussion 359

Baidar Bakht, Leslie G. Jaeger, M. S. Cheung, and Aftab A. Mufti The state of the art in analysis of cellular and voided slab bridges: Reply 360

BOOK REVIEWS / CRITIQUES DE LIVRES

M. R. Horne and L. J. Morris Plastic design of low-rise frames: Reviewed by J. A. Packer 361

H. Max Irvine Cable structures: Reviewed by N. K. Srivastava 362

Institution of Civil Engineers Flood studies report — five years on: Reviewed by J. C. Ritchie 363

Institution of Civil Engineers Appropriate technology in civil engineering: Reviewed by W. G. Lockett 364

SEPTEMBER / SEPTEMBRE

ARTICLES

Ivan Muzik Preliminary design of the muskeg drainage system at Onakawana, Ontario 367

O. Adebisi Adaptability in transportation systems: A case study of drivers' gap acceptance characteristics 378

John F. Morrall and Al Werner Measurement of level of service for two-lane rural highways 385

William Chung-Ping Lau and John L. Dawe Elasto-plastic finite element analysis of welded truss connections 399

Robert G. Drysdale and Ahmad A. Hamid Inplane tensile strength of concrete masonry 413

Sami M. Fereig Construction planning of single-span bridges using precast, prestressed concrete beams 422

Sher Ali Mirza and James G. MacGregor Probabilistic study of strength of reinforced concrete members 431

William James and Mark A. Robinson Interactive processors for design use of large program packages 449

Gwynne Davies and Jeffrey A. Packer Predicting the strength of branch plate — RHS connections for punching shear 458

F. P. D. Navin Road vehicles on bridges 468

A. A. Mufti and L. G. Jaeger FORTRAN — should this be the engineer's computer language? 477

Gamil Tadros, Amin Ghali, and Walter Dilger Construction stages and design considerations for a curved box-girder bridge 483

Ghoneim A. M. Ghoneim and Amin Ghali Nonlinear analysis of concrete structures 489

Kenneth Johns and Borg Madsen Duration of load effects in lumber. Part I: A fracture mechanics approach 502

Borg Madsen and Kenneth Johns Duration of load effects in lumber. Part II: Experimental data 515

Borg Madsen and Kenneth Johns Duration of load effects in lumber. Part III: Code considerations 526

Gilles Patry, Gilles Marchi et Jean Rousselle Prédiction des débits de ruissellement pour le contrôle des réseaux d'égouts unitaires 537

K. C. Lin, R. C. Landine, and S. Bliss Temperature effect on the anaerobic treatment of potato-processing wastewater 549

Ronald L. Droste and Jatinder K. Bewtra Substrate removal and sludge production in a batch activated-sludge process with blending 558

NOTE

C. Marche et D. Chappet Contribution à la simulation numérique des écoulements non permanents en milieu poreux 567

DECEMBER / DÉCEMBRE

ARTICLES

M. Pineau, J. P. Villeneuve et P. G. C. Campbell Modèle mathématique de gestion de la qualité de l'eau en rivière: application à la rivière Yamaska 573

P. C. Campbell Alternative wastewater management strategies for rural and urban-fringe communities 586

M. S. Cheung, Baidar Bakht, and Leslie G. Jaeger Analysis of box-girder bridges by grillage and orthotropic plate methods 595

Borg Madsen Recommended moisture adjustment factors for lumber stresses 602

Alan A. Smith Compact formulation of pipe network problems 611

V. Klemeš The essence of mathematical models of reservoir storage 624

P. F. Ast and J. A. Bickley Atrium on Bay: The optimum use of reinforced concrete — concrete technology aspects 636

J. B. Ciwko and G. A. Morris Behaviour of round-chord, cropped-web truss joints 641

Daniel W. Smith and Vern Christensen Innovative approaches to sewage collection, treatment, and disposal: practices in northern Canada 653

W. P. Maddock and I. J. Jordaan Decision analysis applied to structural code formulation 663

NOTE

B. Burrell and K. S. Davar Flow conveyance with ice cover for the Nashwaak River, N.B. 674

ERRATUM

William James and Hani Mitri Erratum: Modelling side-weir diversion structures for stormwater management 682

BOOK REVIEWS / CRITIQUES DE LIVRES

R. J. Tocci and L. P. Laskowski Microprocessors and microcomputers, hardware and software: Reviewed by B. J. Swain 678

F. E. Young (editor) Piles and foundations: Reviewed by A. S. Burgess 679

D. W. Smith and S. E. Hrudey Design of water and wastewater services for cold climate communities: Reviewed by P. H. Jones 680

J. J. Connor and C. A. Brebbia Finite element techniques for fluid flow: Reviewed by Ed Skiba **681**

Author index for Volume 9/Index des auteurs pour volume 9 **AI-1**

Contents for Volume 9/Sommaire pour volume 9 **iii**